












PROFILES



www.unitech-ikk.com
www.nexus-ikk.com
www.ikkgroup.com



UNITECH
For Building and Construction Materials



Unitech provides building and construction solutions that empower the regions' construction industry for the past 40+ years. We have been successfully providing solutions through mastering our main business activities: Design, Manufacture and Trade.

Unitech is an ISO QMS 9001:2015 certified company and is a member of the US Green Building Council. Our experienced teams and operations are present across the Middle-East and North Africa regions (MENA), Asia, Europe, and North America; giving us an extensive regional network that benefits our clients and partners. Our design and engineering office in Germany (Stuttgart) works around the clock to meet market requirements and standards.

For more information, please visit: www.unitech-ikk.com

DESIGN

Provide Design & Engineering Solution to the construction sector, complying with international & local standards.

MANUFACTURE

Operating with Global Standards, we are widely recognized for our advanced light steel solutions and Hot-Dip Galvanization Facility.

TRADE

We are one of the region's largest Importer/Exporter of Building & Construction Materials.

VISION

To be the Customer's First Choice...

MISSION

We have the conviction to be the leader in building & construction industry through:

- Providing excellence in services with passionate & educated sales force
 - Strengthen culture through unified sense of purpose
 - Innovative product range which is customer centric
 - Reputable and quality service company
 - Attracting, engaging and retaining talent

UNITECH VALUES

EXCELLENCE

Highest Quality

INTEGRITY

Outstanding Customers
Service

SERVICE WITH PRIDE

Highly Effective
Business
Operation

NEXUS

Profiles

NEXUS is a part of UNITECH's wide range of product and is solely produced by "SFSP" Factories around the region.


Nexus offer comprehensive solutions for the construction industry ranging from Expansion Joint Covers and Fire Barriers to Entrance Matting Systems, Wall and Floor Profiles, Tactile Solutions, etc... NEXUS range of products is manufactured according to most common international standards to meet the requirements of commercial, residential, governmental, transportation, healthcare and educational projects.

In addition to its wide array of profiles and variety of finishes, NEXUS provides the technical expertise via its qualified and dedicated team of engineers and industry-experts in the fields. NEXUS range of products is manufactured from high quality raw material and designed to withstand high volume of traffic as well as extreme weather conditions.

PROFILES FOR FLOORS AND WALLS



NRT




NEXUS
CODE
NRT



Features

NEXUS NRT is a Round Edge PVC Tile Trim profile for Walls available in 9 colors.


COLORS:



White (501)



Milky White (502)



White Ivory (901)



Ivory (903)



Bahama Beige (902)



Light Grey (303)



Grey (302)



Cement Grey (301)



Black (101)

Type	H (mm)	L (mm)	Packing (pcs)
NRT 08	8	2.7	100
NRT 010	10	2.7	100
NRT 125	12.5	2.7	100



NST



NEXUS
CODE
NST



Features

NEXUS NST is a Square Shape PVC Tile Trim profile for Walls available in 9 colors.

COLORS:



White (501)



Milky White (502)



White Ivory (901)



Ivory (903)



Bahama Beige (902)



Light Grey (303)



Grey (302)




Cement Grey (301)



Black (101)

Type	H (mm)	L (mm)	Packing (pcs)
NST 08	8	2.7	100
NST 010	10	2.7	100
NST 125	12.5	2.7	100






NEXUS
CODE
NLT


Features

NEXUS NLT is an L Shape PVC Tile Trim profile for Walls available in 9 colors.


COLORS:



Type	H (mm)	L (mm)	Packing (pcs)
NLT 08	8	2.7	100
NLT 010	10	2.7	100
NLT 125	12.5	2.7	100



NART



Features

NEXUS NART is a Round shape Aluminum Tile Trim profile for Walls available in 9 Anodized colors.


COLORS:



Silver Matt



Silver Polished




Champ Brush (542min)



Bronze Matt (543min)



Bronze Polished (543min)



Bronze Matt (545max)



Gold Matt



Gold Polished



Black Matt

Type	H (mm)	L (mm)	Packing (pcs)
NART 08	8	2.7	40
NART 010	10	2.7	40
NART 125	12.5	2.7	40



NAST



NEXUS
CODE
NAST

Features

NEXUS NAST is a Square shape Aluminum Tile Trim profile for Walls available in 9 Anodized colors.


COLORS:



Silver Matt



Silver Polished




Champ Brush (542min)



Bronze Matt (543min)



Bronze Polish (543min)



Bronze Matt (545max)



Gold Matt




Gold Polish





Black Matt


Type	H (mm)	L (mm)	Packing (pcs)
NAST 08	8	2.7	40
NAST 010	10	2.7	40
NAST 125	12.5	2.7	40



NALT



NEXUS
CODE
NALT



Features

NEXUS NALT is an L shape Aluminum Tile Trim profile for Walls available in 9 Anodized colors.


COLORS:



Silver Matt



Silver Polished



Champ Brush (542min)



Bronze Matt (543min)



Bronze Polish (543min)



Bronze Matt (545max)



Gold Matt




Gold Polish




Black Matt



Type	H (mm)	L (mm)	Packing (pcs)
NALT 08	8	2.7	40
NALT 010	10	2.7	40
NALT 125	12.5	2.7	40



REST



**NEXUS
CODE
REST**



Features

NEXUS REST profile is a Stainless Steel Round shape Tile Trim for Walls available in both SS304 and SS316L Grades in Polished and Brushed finishes.

SS 304 Polish Finish

Type	H (mm)	L (mm)
REST 08	8	2.7
REST 10	10	2.7
REST 12	12	2.7

SS 316 Polish Finish


Type	H (mm)	L (mm)
RESTL 08	8	2.7
RESTL 10	10	2.7
RESTL 12	12	2.7

SS 304 Brush Finish



Type	H (mm)	L (mm)
RESTB 08	8	2.7
RESTB 10	10	2.7
RESTB 12	12	2.7

SS 316 Brush Finish

Type	H (mm)	L (mm)
RESTLB 08	8	2.7
RESTLB 10	10	2.7
RESTLB 12	12	2.7



NEXUS
CODE
QEST



Features

NEXUS QEST profile is a Stainless Steel Quart shape Tile Trim for Walls available in both SS304 and SS316L Grades in Polished and Brushed finishes.

SS 304 Polish Finish

Type	H (mm)	L (mm)
QEST 08	8	2.7
QEST 10	10	2.7
QEST 12	12	2.7

SS 316 Polish Finish

Type	H (mm)	L (mm)
QESTL 08	8	2.7
QESTL 10	10	2.7
QESTL 12	12	2.7





SS 304 Brush Finish

Type	H (mm)	L (mm)
QESTB 08	8	2.7
QESTB 10	10	2.7
QESTB 12	12	2.7

SS 316 Brush Finish

Type	H (mm)	L (mm)
QESTLB 08	8	2.7
QESTLB 10	10	2.7
QESTLB 12	12	2.7

NQST



NEXUS
CODE
NQST

Features

NEXUS NQST is a Square shape Stainless Steel Tile Trim profile for Walls available in both SS304 and SS316L Grades in Polished and Brushed finishes.

8
SS 304 Polish Finish

Type	H (mm)	L (mm)
NQST 08	8	2.7

SS 304 Brush Finish

Type	H (mm)	L (mm)
NQSTB 08	8	2.7

SS 316 Polish Finish

Type	H (mm)	L (mm)
NQSTL 08	8	2.7

SS 316 Brush Finish

Type	H (mm)	L (mm)
NQSTLB 08	8	2.7

10
SS 304 Polish Finish

Type	H (mm)	L (mm)
NQST 10	10	2.7

SS 304 Brush Finish

Type	H (mm)	L (mm)
NQSTB 10	10	2.7

SS 316 Polish Finish

Type	H (mm)	L (mm)
NQSTL 10	10	2.7

SS 316 Brush Finish

Type	H (mm)	L (mm)
NQSTLB 10	10	2.7

11
SS 304 Polish Finish

Type	H (mm)	L (mm)
NQST 11	11	2.7

SS 304 Brush Finish

Type	H (mm)	L (mm)
NQSTB 11	11	2.7

SS 316 Polish Finish

Type	H (mm)	L (mm)
NQSTL 11	11	2.7

SS 316 Brush Finish

Type	H (mm)	L (mm)
NQSTLB 11	11	2.7

12
SS 304 Polish Finish

Type	H (mm)	L (mm)
NQST 12	12	2.7

SS 304 Brush Finish

Type	H (mm)	L (mm)
NQSTB 12	12	2.7




SS 316 Polish Finish

Type	H (mm)	L (mm)
NQSTL 12	12	2.7

SS 316 Brush Finish

Type	H (mm)	L (mm)
NQSTLB 12	12	2.7

NWST



NEXUS
CODE
NWST

Features

NEXUS NWST is a Square shape Stainless Steel Tile Trim for Walls available in both SS304 and SS316L Grades in Polished and Brushed finishes.

1010

SS 304 Polish Finish

Type	H (mm)	W (mm)	L (mm)
NWST 010	10	10	2.7

SS 304 Brush Finish

Type	H (mm)	W (mm)	L (mm)
NWSTB 010	10	10	2.7

SS 316 Polish Finish

Type	H (mm)	W (mm)	L (mm)
NWSTL 010	10	10	2.7

SS 316 Brush Finish

Type	H (mm)	W (mm)	L (mm)
NWSTLB 010	10	10	2.7

1212

SS 304 Polish Finish

Type	H (mm)	W (mm)	L (mm)
NWST 012	12	12	2.7

SS 304 Brush Finish

Type	H (mm)	W (mm)	L (mm)
NWSTB 012	12	12	2.7

SS 316 Polish Finish

Type	H (mm)	W (mm)	L (mm)
NWSTL 012	12	12	2.7

SS 316 Brush Finish

Type	H (mm)	W (mm)	L (mm)
NWSTLB 012	12	12	2.7

1414

SS 304 Polish Finish

Type	H (mm)	W (mm)	L (mm)
NWST 014	14	14	2.7

SS 304 Brush Finish




Type	H (mm)	W (mm)	L (mm)
NWSTB 014	14	14	2.7

SS 316 Polish Finish

Type	H (mm)	W (mm)	L (mm)
NWSTL 014	14	14	2.7

SS 316 Brush Finish

Type	H (mm)	W (mm)	L (mm)
NWSTLB 014	14	14	2.7



NEXUS
CODE
NWPST

Features

NEXUS NWPST is a Bended Square shape Stainless Steel Tile Trim for Walls available in both SS304 and SS316L Grades in Polished and Brushed finishes.

SS 304 Polish Finish

Type	H [mm]	W [mm]	L [mtr]
NWPST 1208	8	12	2.7
NWPST 1210	10	12	2.7
NWPST 1212	12	12	2.7

SS 316 Polish Finish




Type	H [mm]	W [mm]	L [mtr]
NWPSTL 1208	8	12	2.7
NWPSTL 1210	10	12	2.7
NWPSTL 1212	12	12	2.7

SS 304 Brush Finish

Type	H [mm]	W [mm]	L [mtr]
NWPSTB 1208	8	12	2.7
NWPSTB 1210	10	12	2.7
NWPSTB 1212	12	12	2.7

SS 316 Brush Finish

Type	H [mm]	W [mm]	L [mtr]
NWPSTLB 1208	8	12	2.7
NWPSTLB 1210	10	12	2.7
NWPSTLB 1212	12	12	2.7



NEXUS
CODE
NDST

Features

NEXUS NDST profile is a Square shape Stainless Steel trim for Walls available in both SS304 and SS316L Grades available in Polished and Brushed finishes.

SS 304 Polish Finish

Type	H [mm]	W [mm]	L [mtr]
NDST 010	10	10	2.7
NDST 012	12	12	2.7
NDST 014	14	14	2.7

SS 316 Polish Finish

Type	H [mm]	W [mm]	L [mtr]
NDSTL 010	10	10	2.7
NDSTL 012	12	12	2.7
NDSTL 014	14	14	2.7










SS 304 Brush Finish

Type	H [mm]	W [mm]	L [mtr]
NDSTB 010	10	10	2.7
NDSTB 012	12	12	2.7
NDSTB 014	14	14	2.7

SS 316 Brush Finish

Type	H [mm]	W [mm]	L [mtr]
NDSTLB 010	10	10	2.7
NDSTLB 012	12	12	2.7
NDSTLB 014	14	14	2.7

NLWF



Features

NEXUS NLWF profile is an L shape Stainless Steel profile for Floors and Walls available in SS304 Grade in Polished and Brushed finish.










SS 304 Polish Finish

Type	H [mm]	L [mtr]
NLWF 06	6	2.7
NLWF 08	8	2.7
NLWF 10	10	2.7
NLWF 12	12	2.7
NLWF 12.5	12.5	2.7
NLWF 15	15	2.7
NLWF 20	20	2.7
NLWF 25	25	2.7
NLWF 30	30	2.7

SS 304 Brush Finish

Type	H [mm]	L [mtr]
NLWFB 06	6	2.7
NLWFB 08	8	2.7
NLWFB 10	10	2.7
NLWFB 12	12	2.7
NLWFB 12.5	12.5	2.7
NLWFB 15	15	2.7
NLWFB 20	20	2.7
NLWFB 25	25	2.7
NLWFB 30	30	2.7

NLWFL



Features

NEXUS NLWFL profile is a L shape Stainless Steel profile for Floors and Walls available in SS316L Grade in Polished and Brushed finish.




SS 316 Polish Finish

Type	H [mm]	L [mtr]
NLWFL 06	6	2.7
NLWFL 08	8	2.7
NLWFL 10	10	2.7
NLWFL 12	12	2.7
NLWFL 12.5	12.5	2.7
NLWFL 15	15	2.7
NLWFL 20	20	2.7
NLWFL 25	25	2.7
NLWFL 30	30	2.7

SS 316 Brush Finish

Type	H [mm]	L [mtr]
NLWFLB 06	6	2.7
NLWFLB 08	8	2.7
NLWFLB 10	10	2.7
NLWFLB 12	12	2.7
NLWFLB 12.5	12.5	2.7
NLWFLB 15	15	2.7
NLWFLB 20	20	2.7
NLWFLB 25	25	2.7
NLWFLB 30	30	2.7

TRTT



Features

NEXUS TRTT profile is a Stainless Steel Triangle Tile Trim available in both SS304 and SS316L Grades in Polished and Brushed finishes.

SS 304 Polish Finish

Type	H [mm]	L [mtr]
TRTT 08	8	2.7
TRTT 10	10	2.7
TRTT 12	12	2.7

SS 316 Polish Finish

Type	H [mm]	L [mtr]
TRTTL 08	8	2.7
TRTTL 10	10	2.7
TRTTL 12	12	2.7




SS 304 Brush Finish

Type	H [mm]	L [mtr]
TRTTB 08	8	2.7
TRTTB 10	10	2.7
TRTTB 12	12	2.7

SS 316 Brush Finish

Type	H [mm]	L [mtr]
TRTTLB 08	8	2.7
TRTTLB 10	10	2.7
TRTTLB 12	12	2.7

NAVT



NEXUS
CODE
NAVT

Features

NEXUS NAVT is a V shape Aluminum Tile Trim profile for Walls in 9 Anodized colors.


COLORS:




Silver Matt



Silver Polished



Champ Brush (542min)



Bronze Matt (543min)



Bronze Polish (543min)



Bronze Matt (545max)



Gold Matt







Gold Polish



Black Matt

Type	H [mm]	L [mm]	Packing [pcs]
NAVT 08	8	2.7	40
NAVT 010	10	2.7	40
NAVT 125	12.5	2.7	40

NAUT



**NEXUS
CODE
NAUT**

Features

NEXUS NAUT is a Square shape Aluminum profile for Walls / Glass in 9 Anodized colors.


COLORS:




Silver Matt



Silver Polished



Champ Brush (542min)



Bronze Matt (543min)



Bronze Polished (543min)



Bronze Matt (545max)



Gold Matt






Gold Polished




Black Matt

Type	H [mm]	L [mm]	Packing [pcs]
NAUT 08	8	2.7	40
NAUT 010	10	2.7	40
NAUT 125	12.5	2.7	40

NWT



**NEXUS
CODE
NWT**



Features

NEXUS NWT is a Aluminum Tile Trim profile for Walls in 9 Anodized colors.


COLORS:



Silver Matt



Silver Polished



Champ Brush (542min)



Bronze Matt (543min)



Bronze Polished (543min)



Bronze Matt (545max)



Gold Matt



Gold Polished




Black Matt

Type	H [mm]	L [mm]	Packing [pcs]
NWT 08	8	2.7	40
NWT 010	10	2.7	40
NWT 125	12.5	2.7	40

NSC 03



NEXUS
CODE
NSC 03



Features

NEXUS NSC 03 profile is a Stainless Steel Channel for Floors and Walls available in both SS304 and SS316L Grades in Polished and Brushed finishes.

SS 304 Polish Finish

Type	H [mm]	W [mm]	L [mtr]
NSC 0308	8	3	2.7
NSC 0310	10	3	2.7
NSC 0312	12	3	2.7
NSC 0315	15	3	2.7
NSC 0320	20	3	2.7
NSC 0325	25	3	2.7

SS 316 Polish Finish

Type	H [mm]	W [mm]	L [mtr]
NSCL 0308	8	3	2.7
NSCL 0310	10	3	2.7
NSCL 0312	12	3	2.7
NSCL 0315	15	3	2.7
NSCL 0320	20	3	2.7
NSCL 0325	25	3	2.7

SS 304 Brush Finish







Type	H [mm]	W [mm]	L [mtr]
NSCB 0308	8	3	2.7
NSCB 0310	10	3	2.7
NSCB 0312	12	3	2.7
NSCB 0315	15	3	2.7
NSCB 0320	20	3	2.7
NSCB 0325	25	3	2.7

SS 316 Brush Finish

Type	H [mm]	W [mm]	L [mtr]
NSCLB 0308	8	3	2.7
NSCLB 0310	10	3	2.7
NSCLB 0312	12	3	2.7
NSCLB 0315	15	3	2.7
NSCLB 0320	20	3	2.7
NSCLB 0325	25	3	2.7

NSC 05

NEXUS
CODE
NSC 05



Features

NEXUS NSC 05 profile is a Stainless Steel Channel profile for Floors and Walls available in both SS304 and SS316L Grades in Polished and Brushed finishes.

SS 304 Polish Finish

Type	H [mm]	W [mm]	L [mtr]
NSC 0508	8	5	2.7
NSC 0510	10	5	2.7
NSC 0512	12	5	2.7
NSC 0515	15	5	2.7
NSC 0520	20	5	2.7
NSC 0525	25	5	2.7

SS 316 Polish Finish

Type	H [mm]	W [mm]	L [mtr]
NSCL 0508	8	5	2.7
NSCL 0510	10	5	2.7
NSCL 0512	12	5	2.7
NSCL 0515	15	5	2.7
NSCL 0520	20	5	2.7
NSCL 0525	25	5	2.7




SS 304 Brush Finish

Type	H [mm]	W [mm]	L [mtr]
NSCB 0508	8	5	2.7
NSCB 0510	10	5	2.7
NSCB 0512	12	5	2.7
NSCB 0515	15	5	2.7
NSCB 0520	20	5	2.7
NSCB 0525	25	5	2.7

SS 316 Brush Finish

Type	H [mm]	W [mm]	L [mtr]
NSCLB 0508	8	5	2.7
NSCLB 0510	10	5	2.7
NSCLB 0512	12	5	2.7
NSCLB 0515	15	5	2.7
NSCLB 0520	20	5	2.7
NSCLB 0525	25	5	2.7

NSC 10



NEXUS
CODE
NSC 10

Features

NEXUS NSC 10 profile is a Stainless Steel Channel for Floors and Walls available in both SS304 and SS316L Grades in Polished and Brushed finishes.

SS 304 Polish Finish

Type	H [mm]	W [mm]	L [mtr]
NSC 1006	6	10	2.7
NSC 1008	8	10	2.7
NSC 1010	10	10	2.7

SS 316 Polish Finish

Type	H [mm]	W [mm]	L [mtr]
NSCL 1006	6	10	2.7
NSCL 1008	8	10	2.7
NSCL 1010	10	10	2.7





SS 304 Brush Finish

Type	H [mm]	W [mm]	L [mtr]
NSCB 1006	6	10	2.7
NSCB 1008	8	10	2.7
NSCB 1010	10	10	2.7

SS 316 Brush Finish

Type	H [mm]	W [mm]	L [mtr]
NSCLB 1006	6	10	2.7
NSCLB 1008	8	10	2.7
NSCLB 1010	10	10	2.7

NSC 15



NEXUS
CODE
NSC 15

Features

NEXUS NSC15 profile is a Stainless Steel Channel for Floors and Walls available in both SS304 and SS316L Grades in Polished and Brushed finishes.

SS 304 Polish Finish

Type	H [mm]	W [mm]	L [mtr]
NSC 1506	6	15	2.7
NSC 1508	8	15	2.7
NSC 1510	10	15	2.7

SS 316 Polish Finish

Type	H [mm]	W [mm]	L [mtr]
NSCL 1506	6	15	2.7
NSCL 1508	8	15	2.7
NSCL 1510	10	15	2.7




SS 304 Brush Finish

Type	H [mm]	W [mm]	L [mtr]
NSCB 1506	6	15	2.7
NSCB 1508	8	15	2.7
NSCB 1510	10	15	2.7

SS 316 Brush Finish

Type	H [mm]	W [mm]	L [mtr]
NSCLB 1506	6	15	2.7
NSCLB 1508	8	15	2.7
NSCLB 1510	10	15	2.7

NSC 20



NEXUS
CODE
NSC 20

Features

NEXUS NSC 20 profile is a Stainless Steel Channel for profile Floors and Walls in both SS304 and SS316L Grades in Polished and Brush finish.

SS 304 Polish Finish

Type	H [mm]	W [mm]	L [mtr]
NSC 2006	6	20	2.7
NSC 2008	8	20	2.7
NSC 2010	10	20	2.7

SS 316 Polish Finish

Type	H [mm]	W [mm]	L [mtr]
NSCL 2006	6	20	2.7
NSCL 2008	8	20	2.7
NSCL 2010	10	20	2.7





SS 304 Brush Finish

Type	H [mm]	W [mm]	L [mtr]
NSCB 2006	6	20	2.7
NSCB 2008	8	20	2.7
NSCB 2010	10	20	2.7

SS 316 Brush Finish

Type	H [mm]	W [mm]	L [mtr]
NSCLB 2006	6	20	2.7
NSCLB 2008	8	20	2.7
NSCLB 2010	10	20	2.7

NSC 25



NEXUS
CODE
NSC 25

Features

NEXUS NSC 25 profile is a Stainless Steel Channel for Floors and Walls available in both SS304 and SS316L Grades in Polished and Brushed finishes.

SS 304 Polish Finish

Type	H [mm]	W [mm]	L [mtr]
NSC 2506	6	25	2.7
NSC 2508	8	25	2.7
NSC 2510	10	25	2.7

SS 316 Polish Finish

Type	H [mm]	W [mm]	L [mtr]
NSCL 2506	6	25	2.7
NSCL 2508	8	25	2.7
NSCL 2510	10	25	2.7




SS 304 Brush Finish

Type	H [mm]	W [mm]	L [mtr]
NSCB 2506	6	25	2.7
NSCB 2508	8	25	2.7
NSCB 2510	10	25	2.7

SS 316 Brush Finish

Type	H [mm]	W [mm]	L [mtr]
NSCLB 2506	6	25	2.7
NSCLB 2508	8	25	2.7
NSCLB 2510	10	25	2.7

NSC 30



NEXUS
CODE
NSC 30

Features

NEXUS NSC 30 profile is a Stainless Steel Channel for Floors and Walls available in both SS304 and SS316L Grades in Polished and Brushed finishes.

SS 304 Polish Finish

Type	H [mm]	W [mm]	L [mtr]
NSC 3006	6	30	2.7
NSC 3008	8	30	2.7
NSC 3010	10	30	2.7

SS 316 Polish Finish

Type	H [mm]	W [mm]	L [mtr]
NSCL 3006	6	30	2.7
NSCL 3008	8	30	2.7
NSCL 3010	10	30	2.7






SS 304 Brush Finish

Type	H [mm]	W [mm]	L [mtr]
NSCB 3006	6	30	2.7
NSCB 3008	8	30	2.7
NSCB 3010	10	30	2.7

SS 316 Brush Finish

Type	H [mm]	W [mm]	L [mtr]
NSCLB 3006	6	30	2.7
NSCLB 3008	8	30	2.7
NSCLB 3010	10	30	2.7

NPSC



NEXUS
CODE
NPSC

Features

NEXUS NPSC 10 / 15 / 25 / 30 profile is a Bended Stainless Steel Channel for Floors and Walls available in both SS304 and SS316L Grades in Polished and Brushed finishes.

1010

SS 304 Polish Finish

Type	H [mm]	W [mm]	L [mtr]
NPSC 1010	10	10	2.7

SS 304 Brush Finish

Type	H [mm]	W [mm]	L [mtr]
NPSCB 1010	10	10	2.7

SS 316 Polish Finish

Type	H [mm]	W [mm]	L [mtr]
NPSC 1010	10	10	2.7

SS 316 Brush Finish

Type	H [mm]	W [mm]	L [mtr]
NPSCB 1010	10	10	2.7

1510

SS 304 Polish Finish

Type	H [mm]	W [mm]	L [mtr]
NPSC 1510	10	15	2.7

SS 304 Brush Finish

Type	H [mm]	W [mm]	L [mtr]
NPSCB 1510	10	15	2.7

SS 316 Polish Finish

Type	H [mm]	W [mm]	L [mtr]
NPSC 1510	10	15	2.7

SS 316 Brush Finish

Type	H [mm]	W [mm]	L [mtr]
NPSCB 1510	10	15	2.7

2510

SS 304 Polish Finish

Type	H [mm]	W [mm]	L [mtr]
NPSC 2510	10	25	2.7

SS 304 Brush Finish

Type	H [mm]	W [mm]	L [mtr]
NPSCB 2510	10	25	2.7

SS 316 Polish Finish

Type	H [mm]	W [mm]	L [mtr]
NPSC 2510	10	25	2.7

SS 316 Brush Finish

Type	H [mm]	W [mm]	L [mtr]
NPSCB 2510	10	25	2.7

3010

SS 304 Polish Finish

Type	H [mm]	W [mm]	L [mtr]
NPSC 3010	10	30	2.7

SS 304 Brush Finish

Type	H [mm]	W [mm]	L [mtr]
NPSCB 3010	10	30	2.7

SS 316 Polish Finish

Type	H [mm]	W [mm]	L [mtr]
NPSC 3010	10	30	2.7

SS 316 Brush Finish

Type	H [mm]	W [mm]	L [mtr]
NPSCB 3010	10	30	2.7

NFSF 03

NEXUS
CODE
NFSF 03

Features

NEXUS NFSF 03 profile is a Stainless Steel profile for Floors available in both SS304 and SS316L Grades in Polished and Brushed finishes.

SS 304 Polish Finish

Type	H [mm]	W [mm]	L [mtr]
NFSF 0308	8	3	2.7
NFSF 0310	10	3	2.7
NFSF 0312	12	3	2.7
NFSF 0315	15	3	2.7
NFSF 0320	20	3	2.7
NFSF 0325	25	3	2.7

SS 316 Polish Finish

Type	H [mm]	W [mm]	L [mtr]
NFSFL 0308	8	3	2.7
NFSFL 0310	10	3	2.7
NFSFL 0312	12	3	2.7
NFSFL 0315	15	3	2.7
NFSFL 0320	20	3	2.7
NFSFL 0325	25	3	2.7




SS 304 Brush Finish

Type	H [mm]	W [mm]	L [mtr]
NFSFB 0308	8	3	2.7
NFSFB 0310	10	3	2.7
NFSFB 0312	12	3	2.7
NFSFB 0315	15	3	2.7
NFSFB 0320	20	3	2.7
NFSFB 0325	25	3	2.7

SS 316 Brush Finish

Type	H [mm]	W [mm]	L [mtr]
NFSFLB 0308	8	3	2.7
NFSFLB 0310	10	3	2.7
NFSFLB 0312	12	3	2.7
NFSFLB 0315	15	3	2.7
NFSFLB 0320	20	3	2.7
NFSFLB 0325	25	3	2.7

NFSF 08



NEXUS
CODE
NFSF 08

Features

NEXUS NFSF 08 profile is a Stainless Steel profile for floors and walls available in both SS304 and SS316L Grades in Polished and Brushed finishes.

SS 304 Polish Finish

Type	H [mm]	W [mm]	L [mtr]
NFSF 0808	8	8	2.7
NFSF 0810	10	8	2.7
NFSF 0812	12	8	2.7

SS 316 Polish Finish

Type	H [mm]	W [mm]	L [mtr]
NFSFL 0808	8	8	2.7
NFSFL 0810	10	8	2.7
NFSFL 0812	12	8	2.7





SS 304 Brush Finish

Type	H [mm]	W [mm]	L [mtr]
NFSFB 0808	8	8	2.7
NFSFB 0810	10	8	2.7
NFSFB 0812	12	8	2.7

SS 316 Brush Finish

Type	H [mm]	W [mm]	L [mtr]
NFSFLB 0808	8	8	2.7
NFSFLB 0810	10	8	2.7
NFSFLB 0812	12	8	2.7

NOSC 05



NEXUS
CODE
NOSC 05

Features

NEXUS NOSC 05 profile is a Stainless Steel profile for Floors and Walls available in both SS304 and SS316L Grades in Polished and Brushed finishes.

SS 304 Polish Finish

Type	H [mm]	W [mm]	L [mtr]
NOSC 0508	8	5	2.7
NOSC 0510	10	5	2.7
NOSC 0512	12	5	2.7

SS 316 Polish Finish

Type	H [mm]	W [mm]	L [mtr]
NOSCL 0508	8	5	2.7
NOSCL 0510	10	5	2.7
NOSCL 0512	12	5	2.7




SS 304 Brush Finish

Type	H [mm]	W [mm]	L [mtr]
NOSCB 0508	8	5	2.7
NOSCB 0510	10	5	2.7
NOSCB 0512	12	5	2.7

SS 316 Brush Finish

Type	H [mm]	W [mm]	L [mtr]
NOSCLB 0508	8	5	2.7
NOSCLB 0510	10	5	2.7
NOSCLB 0512	12	5	2.7

NOPSC 08



NEXUS
CODE
NOPSC 08

Features

NEXUS NOPSC 08 profile is a Stainless Steel profile for Floors and Walls available in both SS304 and SS316L Grades in Polished and Brushed finishes.

SS 304 Polish Finish

Type	H [mm]	W [mm]	L [mtr]
NOPSC 0808	8	8	2.7
NOPSC 0810	10	8	2.7
NOPSC 0812	12	8	2.7

SS 316 Polish Finish

Type	H [mm]	W [mm]	L [mtr]
NOPSC 0808	8	8	2.7
NOPSC 0810	10	8	2.7
NOPSC 0812	12	8	2.7




SS 304 Brush Finish

Type	H [mm]	W [mm]	L [mtr]
NOPSCB 0808	8	8	2.7
NOPSCB 0810	10	8	2.7
NOPSCB 0812	12	8	2.7

SS 316 Brush Finish

Type	H [mm]	W [mm]	L [mtr]
NOPSCB 0808	8	8	2.7
NOPSCB 0810	10	8	2.7
NOPSCB 0812	12	8	2.7

AFSF



NEXUS
CODE
AFSF

Features

NEXUS AFSF is a Square shape Aluminum profile for Floors in 9 Anodized colors.


COLOURS:




Silver Matt



Silver Polished



Champ Brush (542min)



Bronze Matt (543min)



Bronze Polished (543min)



Bronze Matt (545max)



Gold Matt








Gold Polished



Black Matt

Type	H [mm]	L [mm]	Packing [pcs]
AFSF 08	8	2.7	40
AFSF 010	10	2.7	40
AFSF 125	12.5	2.7	40

ATP



NEXUS
CODE
ATP

Features

NEXUS ATP profile is a T shape Joint Cover Anodized Aluminium Profile for Floors.


COLOURS:




Silver Matt



Silver Polished



Champ Brush (542min)



Bronze Matt (543min)



Bronze Polish (543min)



Bronze Matt (545max)



Gold Matt





Gold Polish



Black Matt

Additional colors: Powder Coating Standard RAL colors

Type	H [mm]	W [mm]	L [mtr]
ATP..08	5	8	2.7
ATP..15	10	15	2.7
ATP..20	10	20	2.7
ATP..25	10	25	2.7



NEXUS
CODE
NSSS 06/08

Features

NEXUS NSSS 06/08 profile is a T shape Stainless Steel profile for Floors available in both SS304 and SS316L Grades in Polished and Brushed finishes.

0606

SS 304 Polish Finish

Type	H [mm]	W [mm]	L [mtr]
NSSS 0606	6	6	2.7

SS 304 Brush Finish

Type	H [mm]	W [mm]	L [mtr]
NSSSB 0606	6	6	2.7

SS 316 Polish Finish

Type	H [mm]	W [mm]	L [mtr]
NSSSL 0606	6	6	2.7

SS 316 Brush Finish

Type	H [mm]	W [mm]	L [mtr]
NSSSLB 0606	6	6	2.7

0805

SS 304 Polish Finish

Type	H [mm]	W [mm]	L [mtr]
NSSS 0805	5	8	2.7

SS 304 Brush Finish

Type	H [mm]	W [mm]	L [mtr]
NSSSB 0805	5	8	2.7




SS 316 Polish Finish

Type	H [mm]	W [mm]	L [mtr]
NSSSL 0805	5	8	2.7

SS 316 Brush Finish

Type	H [mm]	W [mm]	L [mtr]
NSSSLB 0805	5	8	2.7

NSSS 10-20



NEXUS
CODE
NSSS 10-20

Features

NEXUS NSSS 10-20 profile is a T Shape Stainless Steel profile for Floors available in both SS304 and SS316L Grades in Polished and Brushed finishes.

1005

SS 304 Polish Finish

Type	H [mm]	W [mm]	L [mtr]
NSSS 1005	5	10	2.7

SS 304 Brush Finish

Type	H [mm]	W [mm]	L [mtr]
NSSSB 1005	5	10	2.7

SS 316 Polish Finish

Type	H [mm]	W [mm]	L [mtr]
NSSSL 1005	5	10	2.7

SS 316 Brush Finish

Type	H [mm]	W [mm]	L [mtr]
NSSSLB 1005	5	10	2.7

1505

SS 304 Polish Finish

Type	H [mm]	W [mm]	L [mtr]
NSSS 1505	5	15	2.7

SS 304 Brush Finish

Type	H [mm]	W [mm]	L [mtr]
NSSSB 1505	5	15	2.7

SS 316 Polish Finish

Type	H [mm]	W [mm]	L [mtr]
NSSSL 1505	5	15	2.7

SS 316 Brush Finish

Type	H [mm]	W [mm]	L [mtr]
NSSSLB 1505	5	15	2.7

2005

SS 304 Polish Finish

Type	H [mm]	W [mm]	L [mtr]
NSSS 2005	5	20	2.7

SS 304 Brush Finish

Type	H [mm]	W [mm]	L [mtr]
NSSSB 2005	5	20	2.7



SS 316 Polish Finish

Type	H [mm]	W [mm]	L [mtr]
NSSSL 2005	5	20	2.7

SS 316 Brush Finish

Type	H [mm]	W [mm]	L [mtr]
NSSSLB 2005	5	20	2.7

NSSS 25



NEXUS
CODE
NSSS 25

Features

NEXUS NSSS 25 profile is a T Shape Stainless Steel profile for Floors available in both SS304 and SS316L Grades in Polished and Brushed finishes.

2508P

SS 304 Polish Finish

Type	H [mm]	W [mm]	L [mtr]
NSSS 2508P	8	25	2.7

SS 304 Brush Finish

Type	H [mm]	W [mm]	L [mtr]
NSSSB 2508P	8	25	2.7

SS 316 Polish Finish

Type	H [mm]	W [mm]	L [mtr]
NSSSL 2508P	8	25	2.7

SS 316 Brush Finish

Type	H [mm]	W [mm]	L [mtr]
NSSSLB 2508P	8	25	2.7

2508

SS 304 Polish Finish

Type	H [mm]	W [mm]	L [mtr]
NSSS 2508	8	25	2.7

SS 304 Brush Finish

Type	H [mm]	W [mm]	L [mtr]
NSSSB 2508	8	25	2.7





SS 316 Polish Finish

Type	H [mm]	W [mm]	L [mtr]
NSSSL 2508	8	25	2.7

SS 316 Brush Finish

Type	H [mm]	W [mm]	L [mtr]
NSSSLB 2508	8	25	2.7

NSST 25



NEXUS
CODE
NSST 25

Features

NEXUS NSST 25 profile is a Stainless Steel T Shape Profile for Floors available in both SS304 and SS316L Grades in Polished and Brushed finishes.

SS 304 Polish Finish

Type	H [mm]	W [mm]	L [mtr]
NSST 2515	15	25	2.7
NSST 2518	18	25	2.7

SS 316 Polish Finish

Type	H [mm]	W [mm]	L [mtr]
NSSTL 2515	15	25	2.7
NSSTL 2518	18	25	2.7




SS 304 Brush Finish

Type	H [mm]	W [mm]	L [mtr]
NSSTB 2515	15	25	2.7
NSSTB 2518	18	25	2.7

SS 316 Brush Finish

Type	H [mm]	W [mm]	L [mtr]
NSSTLB 2515	15	25	2.7
NSSTLB 2518	18	25	2.7

TRFT



NEXUS
CODE
TRFT

Features

NEXUS TRFT profile is a Stainless Steel Termination profile for Floors available in both SS304 and SS316L Grades in Polished and Brushed finishes.

SS 304 Polish Finish

Type	H [mm]	L [mtr]
TRFT 08	8	2.7
TRFT 10	10	2.7
TRFT 12	12	2.7

SS 316 Polish Finish

Type	H [mm]	L [mtr]
TRFTL 08	8	2.7
TRFTL 10	10	2.7
TRFTL 12	12	2.7



SS 304 Brush Finish

Type	H [mm]	L [mtr]
TRFTB 08	8	2.7
TRFTB 10	10	2.7
TRFTB 12	12	2.7



SS 316 Brush Finish

Type	H [mm]	L [mtr]
TRFTLB 08	8	2.7
TRFTLB 10	10	2.7
TRFTLB 12	12	2.7

NFCT



NEXUS
CODE
NFCT



Features

NEXUS NFCT is a Aluminum profile for Floors with different levels in 9 Anodized colors.


COLORS:



Silver Matt



Silver Polished



Champ Brush (542min)



Bronze Matt (543min)



Bronze Polish (543min)



Bronze Matt (545max)



Gold Matt




Gold Polish




Black Matt

Type	H [mm]	L [mm]	Packing [pcs]
NFCT 06	6	2.7	40
NFCT 08	8	2.7	40
NFCT 10	10	2.7	40
NFCT 125	12.5	2.7	40



NEXUS
CODE
FCT



Features

NEXUS FCT is a Aluminum profile for Floors with different levels in 9 Anodized colors.


COLOURS:



Silver Matt



Silver Polished



Champ Brush (542min)



Bronze Matt (543min)



Bronze Polished (543min)



Bronze Matt (545max)



Gold Matt





Gold Polished



Black Matt

Type	H [mm]	L [mm]	Packing [pcs]
FCT 08	8	2.7	40
FCT 010	10	2.7	40
FCT 125	12.5	2.7	40

NFLP



NEXUS
CODE
NFLP

Features

NEXUS NFLP is a Aluminum profile for Floors with different levels in 9 Anodized colors.


COLORS:



Silver Matt



Silver Polished



Champ Brush (542min)



Bronze Matt (543min)



Bronze Polished (543min)



Bronze Matt (545max)



Gold Matt





Gold Polish



Black Matt

Type	H [mm]	L [mm]	Packing [pcs]
NFLP 08	8	2.7	40
NFLP 010	10	2.7	40
NFLP 125	12.5	2.7	40

NFTP



NEXUS
CODE
NFTP

Features

NEXUS NFTP is a Aluminum Profile for Floors in 9 Anodized colors.


COLOURS:



Silver Matt



Silver Polished




Champ Brush (542min)



Bronze Matt (543min)



Bronze Polished (543min)



Bronze Matt (545max)



Gold Matt






Gold Polished



Black Matt

Type	W [mm]	L [mm]	Packing [pcs]
NFTP 35	35	2.7	40
NFTP 50	50	2.7	40

NII



NEXUS
CODE
NII

Features

NEXUS NII profile is a Stainless Steel Internal Trim available in both SS304 and SS316L Grades in Polished and Brushed finishes.

SS 304 Polish Finish

Type	H [mm]	W [mm]	L [mtr]
NII 08	8	8	2.7
NII 10	10	10	2.7
NII 12	12	12	2.7

SS 316 Polish Finish

Type	H [mm]	W [mm]	L [mtr]
NIIL 08	8	8	2.7
NIIL 10	10	10	2.7
NIIL 12	12	12	2.7




SS 304 Brush Finish

Type	H [mm]	W [mm]	L [mtr]
NIIB 08	8	8	2.7
NIIB 10	10	10	2.7
NIIB 12	12	12	2.7

SS 316 Brush Finish

Type	H [mm]	W [mm]	L [mtr]
NIILB 08	8	8	2.7
NIILB 10	10	10	2.7
NIILB 12	12	12	2.7

NII 0810



NEXUS
CODE
NII 0810

Features

NEXUS NII 0810 profile is a Stainless Steel Internal Trims in both SS304 and SS316L Grades in Polished and Brush finish.

SS 304 Polish Finish

Type	H1 [mm]	H2 [mm]	L [mtr]
NII 0810	10	8	2.7
NII 0812	12	8	2.7
NII 0814	14	8	2.7

SS 316 Polish Finish

Type	H1 [mm]	H2 [mm]	L [mtr]
NIIL 0810	10	8	2.7
NIIL 0812	12	8	2.7
NIIL 0814	14	8	2.7




SS 304 Brush Finish

Type	H1 [mm]	H2 [mm]	L [mtr]
NIIB 0810	10	8	2.7
NIIB 0812	12	8	2.7
NIIB 0814	14	8	2.7

SS 316 Brush Finish

Type	H1 [mm]	H2 [mm]	L [mtr]
NIILB 0810	10	8	2.7
NIILB 0812	12	8	2.7
NIILB 0814	14	8	2.7

NCCT



NEXUS
CODE
NCCT

Features

NEXUS NCCT is a Internal Tile Trim for Floor To Wall in 9 Anodized colors.


COLORS:



Silver Matt



Silver Polished



Champ Brush (542min)



Bronze Matt (543min)



Bronze Polish (543min)



Bronze Matt (545max)



Gold Matt








Gold Polish



Black Matt

Type	H [mm]	L [mm]	Packing [pcs]
NCCT 08	8	2.7	40
NCCT 010	10	2.7	40
NCCT 125	12.5	2.7	40

NSCG



Features

NEXUS NSCG.. profile is a Stainless Steel External Corner Guard for Walls available in both SS304 and SS316L Grades in Polished and Brushed finishes.

SS 304 Polish Finish

Type	WxW [mm]	L [mtr]
NSCG 20	20x20	2.7
NSCG 25	25x25	2.7
NSCG 50	50x50	2.7

SS 316 Polish Finish

Type	WxW [mm]	L [mtr]
NSCGL 20	20x20	2.7
NSCGL 25	25x25	2.7
NSCGL 50	50x50	2.7


SS 304 Brush Finish

Type	WxW [mm]	L [mtr]
NSCGB 20	20x20	2.7
NSCGB 25	25x25	2.7
NSCGB 50	50x50	2.7

SS 316 Brush Finish

Type	WxW [mm]	L [mtr]
NSCGLB 20	20x20	2.7
NSCGLB 25	25x25	2.7
NSCGLB 50	50x50	2.7

NSEG 25



NEXUS
CODE
NSEG 25

Features

NEXUS NSEG 25 profile is a Stainless Steel Internal Corner Guard for Walls available in both SS304 and SS316L Grades in Polished and Brushed finishes.

SS 304 Polish Finish

Type	WxW [mm]	L [mtr]
NSEG 25	25x25	2.7

SS 316 Polish Finish



Type	WxW [mm]	L [mtr]
NSEGL 25	25x25	2.7

SS 304 Brush Finish

Type	WxW [mm]	L [mtr]
NSEGB 25	25x25	2.7

SS 316 Brush Finish

Type	WxW [mm]	L [mtr]
NSEGLB 25	25x25	2.7



NEXUS
CODE
NSEG

Features

NEXUS NSEG profile is a Stainless Steel Internal Corner Guard available in both SS304 and SS316L Grades in Polished and Brushed finishes.

SS 304 Polish Finish

Type	WxW [mm]	L [mtr]
NSEG 0520	19x19	2.7

SS 316 Polish Finish



Type	WxW [mm]	L [mtr]
NSEGL 0520	19x19	2.7

SS 304 Brush Finish



Type	WxW [mm]	L [mtr]
NSEGB 0520	19x19	2.7

SS 316 Brush Finish

Type	WxW [mm]	L [mtr]
NSEGLB 0520	19x19	2.7



NEXUS
CODE
NCGT



Features

NEXUS NCGT profile is a Square shape Stainless Steel corner guard for Walls available in both SS304 and SS316L Grades in Polished and Brushed finishes.

SS 304 Polish Finish

Type	H [mm]	W [mm]	L [mtr]
NCGT 2008	8	20	2.7
NCGT 2010	10	20	2.7
NCGT 2012	12	20	2.7

SS 316 Polish Finish

Type	H [mm]	W [mm]	L [mtr]
NCGTL 2008	8	20	2.7
NCGTL 2010	10	20	2.7
NCGTL 2012	12	20	2.7

SS 304 Brush Finish

Type	H [mm]	W [mm]	L [mtr]
NCGTB 2008	8	20	2.7
NCGTB 2010	10	20	2.7
NCGTB 2012	12	20	2.7

SS 316 Brush Finish


Type	H [mm]	W [mm]	L [mtr]
NCGTLB 2008	8	20	2.7
NCGTLB 2010	10	20	2.7
NCGTLB 2012	12	20	2.7



STAIR NOSING



SAST 1012



Features

NEXUS SAST 1012 profile is a Stainless Steel Step Nosing in both SS304 and SS316L Grades in Polished and Brushed finishes.

SS 304 Polish Finish

Type	H [mm]	L [mtr]
SAST 1012	10	2.7

SS 316 Polish Finish

Type	H [mm]	L [mtr]
SAST 1012	10	2.7


SS 304 Brush Finish

Type	H [mm]	L [mtr]
SASTB 1012	10	2.7

SS 316 Brush Finish

Type	H [mm]	L [mtr]
SASTLB 1012	10	2.7

SAST 0525



Features

NEXUS SAST 0525 profile is a Stainless Steel Step Nosing available in both SS304 and SS316L Grades in Polished and Brushed finishes.

SS 304 Polish Finish

Type	H [mm]	W [mm]	L [mtr]
SAST 0525	12	5	2.7

SS 316 Polish Finish



Type	H [mm]	W [mm]	L [mtr]
SASTL 0525	12	5	2.7

SS 304 Brush Finish

Type	H [mm]	W [mm]	L [mtr]
SASTB 0525	12	5	2.7

SS 316 Brush Finish

Type	H [mm]	W [mm]	L [mtr]
SASTLB 0525	12	5	2.7



Features

NEXUS SAST 2028 profile is a Stainless Step Nosing available in both SS304 and SS316L Grades in Polished and Brushed finishes.

SS 304 Polish Finish

Type	H [mm]	W [mm]	L [mtr]
SAST 2015	15	20	2.7
SAST 2018	18	20	2.7

SS 316 Polish Finish

Type	H [mm]	W [mm]	L [mtr]
SASTL 2015	15	20	2.7
SASTL 2018	18	20	2.7





SS 304 Brush Finish

Type	H [mm]	W [mm]	L [mtr]
SASTB 2015	15	20	2.7
SASTB 2018	18	20	2.7

SS 316 Brush Finish

Type	H [mm]	W [mm]	L [mtr]
SASTLB 2015	15	20	2.7
SASTLB 2018	18	20	2.7

SAST 2510



Features

NEXUS SAST 2510 profile is a Stainless Steel Step Nosing available in both SS304 and SS316L Grades in Polished and Brushed finishes.

SS 304 Polish Finish

Type	H [mm]	W [mm]	L [mtr]
SAST 2510	10	25	2.7
SAST 2512	12	25	2.7
SAST 2514	14	25	2.7

SS 316 Polish Finish

Type	H [mm]	W [mm]	L [mtr]
SASTL 10	10	25	2.7
SASTL 12	12	25	2.7
SASTL 14	14	25	2.7



SS 304 Brush Finish

Type	H [mm]	W [mm]	L [mtr]
SASTB 10	10	25	2.7
SASTB 12	12	25	2.7
SASTB 14	14	25	2.7

SS 316 Brush Finish

Type	H [mm]	W [mm]	L [mtr]
SASTLB 10	10	25	2.7
SASTLB 12	12	25	2.7
SASTLB 14	14	25	2.7

SAST 2512



NEXUS
CODE
SAST 2512

Features

NEXUS SAST 2512 profile is a Stainless Steel Step Nosing available in both SS304 and SS316L Grades in Polished and Brushed finishes.

SS 304 Polish Finish

Type	H [mm]	W [mm]	L [mtr]
SAST 252	12	25	2.7

SS 316 Polish Finish

Type	H [mm]	W [mm]	L [mtr]
SASTL 252	12	25	2.7



SS 304 Brush Finish

Type	H [mm]	W [mm]	L [mtr]
SASTB 252	12	25	2.7

SS 316 Brush Finish

Type	H [mm]	W [mm]	L [mtr]
SASTLB 252	12	25	2.7

SAST 3020



Features

NEXUS SAST 3020 profile is a Stainless Steel Step Nosing available in both SS304 and SS316L Grades in Polished and Brushed finishes.

SS 304 Polish Finish

Type	H [mm]	W [mm]	L [mtr]
SAST 3020	20	30	2.7

SS 316 Polish Finish

Type	H [mm]	W [mm]	L [mtr]
SASTL 3020	20	30	2.7


SS 304 Brush Finish

Type	H [mm]	W [mm]	L [mtr]
SASTB 3020	20	30	2.7

SS 316 Brush Finish

Type	H [mm]	W [mm]	L [mtr]
SASTLB 3020	20	30	2.7

AST 4525



NEXUS
CODE
AST 4525

Features

- Protect Step Edge.
- Provide Slip Resistance.
- Provide Visual Contrast for step edge.

Surface


- Anodized Aluminium.
- Colours: Silver, Gold & Bronze.

Material

- Aluminium Alloy 6063, T6.

Functions

- The upper side is knurled to increase slip and slide resistance with curved vertical part.
- This profile applicable for steps from 87° to 90°.



AST 5030



NEXUS
CODE
AST 5030



Features

- Protect Step Edge.
- Provide Slip Resistance.
- Provide Visual Contrast for step edge.

Surface


- Anodized Aluminium with Interchangeable Rubber Insert.
- Colours: Silver, Gold & Bronze with Black Rubber.

Material

- Aluminium Alloy 6063, T6.
- EPDM Rubber

Functions

- The upper side is knurled to increase slip and slide resistance.
- Rubber part Changeable.



AST 5530



NEXUS
CODE
AST 5530

Features

- Protect Step Edge.
- Provide Slip Resistance.
- Provide Visual Contrast for step edge.

Surface


- Anodized Aluminum with Interchangeable Carborundum Non-Slip Strip.
- Colours: Silver, Gold & Bronze with Black Carborundum.

Material

- Aluminium Alloy 6063, T6
- 20mm Self-Adhesive Carborundum.

Functions


- The upper side is knurled to increase slip and slide resistance.
- Carborundum part Changeable.



AST 7028



NEXUS
CODE
AST 7028



Features

- Protect Step Edge.
- Provide Slip Resistance.
- Provide Visual Contrast for step edge.

Surface


- Anodized Aluminium
- Colours: Silver, Gold & Bronze

Material



- Aluminium Alloy 6063, T6

Functions

- The upper side is knurled to increase slip and slide resistance.



AST 7530



NEXUS
CODE
AST 7530

Features

- Protect Step Edge.
- Provide Slip Resistance.
- Provide Visual Contrast for step edge.

Surface


- Anodized Aluminum with Interchangeable Rubber Inserts.
- Colours: Silver, Gold & Bronze with Black Rubber.

Material

- Aluminium Alloy 6063, T6
- EPDM Rubber

Functions




- The upper side is knurled to increase slip and slide resistance.
- Rubber part Changeable.





SKIRTING





Features

NEXUS NASK is a Square shape Aluminum Tile Trim profile for Walls in 9 Anodized colors.


COLORS:



Silver Matt



Silver Polished




Champ Brush (542min)



Bronze Matt (543min)



Bronze Polished (543min)



Bronze Matt (545max)



Gold Matt






Gold Polished



Black Matt

Additional Colours: Any Powder Coating Standard RAL

Type	H [mm]	L [mtr]
NASK 60	60	3
NASK 80	80	3
NASK 100	100	3



NEXUS
CODE
NSSK

Features

NEXUS NSSK profile is a Stainless Steel Skirting available in both SS304 and SS316L Grades in Polished and Brushed finishes.

SS 304 Polish Finish

Type	H [mm]	L [mtr]
NSSK 60	60	2.7
NSSK 80	80	2.7
NSSK 100	100	2.7

SS 316 Polish Finish

Type	H [mm]	L [mtr]
NSSKL 60	60	2.7
NSSKL 80	80	2.7
NSSKL 100	100	2.7

SS 304 Brush Finish

Type	H [mm]	L [mtr]
NSSKB 60	60	2.7
NSSKB 80	80	2.7
NSSKB 100	100	2.7


SS 316 Brush Finish

Type	H [mm]	L [mtr]
NSSKLB 60	60	2.7
NSSKLB 80	80	2.7
NSSKLB 100	100	2.7

NEXUS

Skirting For Walls

NASL 60



NEXUS
CODE
NASL 60

Features

NEXUS NASL 60 is a Aluminum Skirting with LED Lights (Optional) in 9 Anodized colors.


COLORS:



Silver Matt



Silver Polished




Champ Brush (542min)



Bronze Matt (543min)



Bronze Polish (543min)



Bronze Matt (545max)



Gold Matt




Gold Polish



Black Matt

Type	H [mm]	L [mm]	Packing [pcs]
NASL 60	60	2.7	40

NACL 80



NEXUS
CODE
NACL 80

Features

NEXUS NACL 80 is a Aluminum Skirting in 9 Anodized colors.


COLORS:



Silver Matt



Silver Polished




Champ Brush (542min)



Bronze Matt (543min)



Bronze Polish (543min)



Bronze Matt (545max)



Gold Matt




Gold Polish





Black Matt

Type	H [mm]	L [mm]	Packing [pcs]
NACL 80	80	2.7	40



NEXUS
CODE
NSSK 10



Features

NEXUS NSSK 10 profile is a Stainless Steel Skirting with SS Clips (40mm length, 4 clips per length) available in both SS304 and SS316L Grades in Polished and Brushed finishes.

SS 304 Polish Finish

Type	H [mm]	W [mm]	L [mtr]
NSSK 6010	60	10	2.7
NSSK 8010	80	10	2.7
NSSK 10010	100	10	2.7

SS 316 Polish Finish


Type	H [mm]	W [mm]	L [mtr]
NSSKL 6010	60	10	2.7
NSSKL 8010	80	10	2.7
NSSKL 10010	100	10	2.7

SS 304 Brush Finish

Type	H [mm]	W [mm]	L [mtr]
NSSKB 6010	60	10	2.7
NSSKB 8010	80	10	2.7
NSSKB 10010	100	10	2.7

SS 316 Brush Finish

Type	H [mm]	W [mm]	L [mtr]
NSSKLB 6010	60	10	2.7
NSSKLB 8010	80	10	2.7
NSSKLB 10010	100	10	2.7



NEXUS
CODE
NSSK 1940

Features

NEXUS NSSK 1940 profile is a Stainless Steel Skirting available in both SS304 and SS316L Grades in Polished and Brushed finishes.

SS 304 Polish Finish

Type	H [mm]	W [mm]	L [mtr]
NSSK 1940	40	19	2.7

SS 316 Polish Finish

Type	H [mm]	W [mm]	L [mtr]
NSSKL 1940	40	19	2.7

SS 304 Brush Finish

Type	H [mm]	W [mm]	L [mtr]
NSSKB 1940	40	19	2.7

SS 316 Brush Finish

Type	H [mm]	W [mm]	L [mtr]
NSSKLB 1940	40	19	2.7


MOVEMENT JOINT



NEXUS

PVC Movement Joint

SPVM




NEXUS
CODE
SPVM


Features

Nexus SPVM Profile is a straight shape hard PVC Tile Movement Joint with soft PVC infill.
Soft PVC Colours : Ivory, Grey, Transparent


SPVM 20



SPVM 30



SPVM 40



NEXUS

PVC Movement Joint


PVM

NEXUS
CODE
PVM


Features

Nexus PVM Profile is a 2L shape hard PVC Tile Movement Joint with soft PVC infill.
Soft PVC Colours : Ivory, Grey, Transparent


PVM 10




PVM 125




PVM 15




PVM 20



PVM 25



NMJ-S



NEXUS
CODE
NMJ-S


Features

Tile Movement Joint NMJ-S is manufactured using 1.5mm side plate of Brass, Stainless Steel or Aluminum bonded firmly to a rubber insert of 7mm. The side plates range from 15mm onwards to a maximum of 100mm in height. It can be specially ordered for more thicknesses for heavy duty applications. Rubber inserts are available in 10 standard colours.

All profiles are fabricated for a cut length of 2.44 meters or any required length less than 2.44 meters.

Standard Dimensions

Type	H [mm]	W [mm]	L [mtr]
NMJ-S10	10	10	2.44
NMJ-S12.5	12.5	10	2.44
NMJ-S15	15	10	2.44
NMJ-S20	20	10	2.44
NMJ-S25	25	10	2.44
NMJ-S30	30	10	2.44
NMJ-S50	50	10	2.44



*Note: Other sizes / shapes are available upon request.

NMJ-1L



NEXUS
CODE
NMJ-1L




Features

Tile Movement Joint NMJ-1L is manufactured using one flat side plate on side and L-plate on the other side bonded to the rubber insert. These profiles are particularly useful for perimeter fixing or an existing finished area. Rubber inserts are available in 10 standard colours.

All profiles are fabricated for a cut length of 2.44 meters or any required length less than 2.44 meters.

Standard Dimensions

Type	H [mm]	W [mm]	L [mtr]
NMJ-1L10	10	10	2.44
NMJ-1L12.5	12.5	10	2.44
NMJ-1L15	15	10	2.44
NMJ-1L20	20	10	2.44
NMJ-1L25	25	10	2.44
NMJ-1L30	30	10	2.44
NMJ-1L50	50	10	2.44



*Note: Other sizes / shapes are available upon request.

NMJ-2L



NEXUS
CODE
NMJ-2L


Features

Tile Movement Joint NMJ-2L is manufactured using 1.5mm side plates of Brass, Stainless Steel or Aluminum bonded firmly to a rubber insert of 7mm thickness. The side plates range from 10mm onwards to a maximum of 100mm in height as standard heights, while other sizes can be specially ordered. Rubber inserts are available in 10 standard colours.

All profiles are fabricated for a cut length of 2.44 meters or any required length less than 2.44 meters.

Standard Dimensions


Type	H [mm]	W [mm]	L [mtr]
NMJ-2L10	10	10	2.44
NMJ-2L12.5	12.5	10	2.44
NMJ-2L15	15	10	2.44
NMJ-2L20	20	10	2.44
NMJ-2L25	25	10	2.44
NMJ-2L30	30	10	2.44
NMJ-2L50	50	10	2.44




*Note: Other sizes / shapes are available upon request.




STANDARD COLORS




Milky White



Alabaster



Light Beige



Linen




Sandstone




Light Smoke



Earth



Light Grey













Pewter



Black

CHANNELS / STRIPS









Features

NEXUS AC profile is a natural Aluminium U Channel for Walls.

Additional Colors: Powder Coating Standard RAL Colors

Type	H [mm]	W [mm]	L [mtr]
AC 0808	8	8	3
AC 1010	10	10	3
AC 1510	10	15	3
AC 1515	15	15	3
AC 2010	10	20	3
AC 2015	15	20	3
AC 2020	20	20	3
AC 2515	15	25	3
AC 2520	20	25	3
AC 4020	20	40	3



Features

NEXUS ACW profile is a natural Aluminium U Channel with wings for Walls.


Additional Colors: Powder Coating Standard RAL Colors

Type	H [mm]	W [mm]	T [mm]	L [mtr]
ACW 2015	15	20	1.3	3
ACW 2020	20	20	1.3	3
ACW 4020	20	40	1.3	3

NGCH 15



NEXUS
CODE
NGCH 15



Features

NEXUS NGCH 15 profile is a Stainless Steel Glass Groove available in both SS304 and SS316L Grades in Polished and Brushed finishes.

SS 304 Polish Finish

Type	H [mm]	W [mm]	L [mtr]
NGCH 15	15	12.5	2.7

SS 316 Polish Finish

Type	H [mm]	W [mm]	L [mtr]
NGCHL 15	15	12.5	2.7

SS 304 Brush Finish

Type	H [mm]	W [mm]	L [mtr]
NGCHB 15	15	12.5	2.7

SS 316 Brush Finish


Type	H [mm]	W [mm]	L [mtr]
NGCHLB 15	15	12.5	2.7



GLASS AL CHANNEL ACG 2010

NEXUS ACG.. is a natural Aluminium U Channel for Glass.

Additional Colors: Powder Coating Standard \ RAL Colors



Type	H [mm]	W [mm]	T [mm]	L [mtr]
ACG 2010	20	13	1.3	3.0




NEXUS
CODE
NFS

Features

NEXUS NFS is a natural Aluminum Flat Strip.

Additional Colors: Powder Coating Standard RAL Colors



Type	A [mm]	B [mm]	L [mtr]
NFS 1203	12	3	3
NFS 2003	20	3	3
NFS 2005	20	5	3
NFS 2503	25	3	3
NFS 2505	25	5	3
NFS 3003	30	3	3
NFS 3005	30	5	3
NFS 5003	50	3	3
NFS 5005	50	5	3

LANDSCAPING



Functions

- Will not rust, crack, rot, or become brittle
- Easily create straight lines or curves
- Virtually maintenance free
- Great for landscape beds, tree rings, walkways and pathways, brick or stone patio gardens and drip edges
- Easy-to-install

NEXUS
CODE
NLT






Features

NEXUS NLT Aluminum Landscape Edging offering professional grade quality landscape finishing. Favored by landscape professionals for its sleek appearance, durability, easy installation and lifetime warranty, this edging is ideal for both curves and straight runs. Use it to create a tidy edge on garden beds, tree rings, and walkways, as well as brick or stone patios. Prevents weeds from infiltrating beds, and keeps mulch and gravel contained.

Material

- Aluminium Alloy 6063, T6.



Note:
Price to be upon enquiry.

Functions

- Will not rust, crack, rot, or become brittle
- Easily create straight lines or curves
- Virtually maintenance free
- Great for landscape beds, tree rings, walkways and pathways, brick or stone patio gardens and drip edges
- Easy-to-install

NEXUS
CODE
NLSS




Features

NEXUS NLSS Aluminum Landscape Edging offering professional grade quality landscape finishing. Favored by landscape professionals for its sleek appearance, durability, easy installation and lifetime warranty, this edging is ideal for both curves and straight runs. Use it to create a tidy edge on garden beds, tree rings, and walkways, as well as brick or stone patios. Prevents weeds from infiltrating beds, and keeps mulch and gravel contained.

Material

- Aluminium Alloy 6063, T6.



Note:
Price to be upon enquiry.

TACTILE SOLUTIONS





Introducing the NEXUS TACTILE Solutions

A comprehensive range of TACTILE ground surface indicators

Tactile is first and foremost a mobility aid for people of determination. It was first developed in 1965 and spread rapidly around the world, thus increasing its demand. Tactile flooring system is a perfect guide for a detectable warning surface and indicators.

Unitech introduces its Nexus Tactile System which offers a perfect solution for the free movement of the visually impaired people in both indoor and outdoor environments. Nexus Tactile solution is available in a wide range of designs, colours and sizes in order to meet the customers' requirement. It is obtainable in a variety of materials to suit different floor surfaces and areas.


INSTALLATION

Nexus Tactile System is easy and quick to install, thus reducing the installation time and cost. It must be done correctly in order for the system to work.


Current safety regulations in each country need to be carefully followed, and seeking advice from local experts is essential in order to determine the most adequate design for each project.

Nexus Tactile System products have been tested in accordance with international safety requirements to ensure maximum compliance with local safety regulations. Nexus provides a comprehensive range of tactile products including tactile paving, indicator studs and strips, and accessories. With its experienced and skilled team, Nexus provides a full service solution from product supply to full installation.









TACTILE PAVING





INDICATOR STUDS & STRIPS





INDICATOR STUDS & STRIPS

NT5067F

Material: Stainless Steel
Size : 290x35x4.5mm



NT5067D-3

Material: Stainless Steel
Size : 280x35x5mm



NT5049B

Material: Stainless Steel
Size : 280x35x4.5mm



NT5007

Material: Stainless Steel
Size : 280x35x4.5mm



NT5003E

Material: Stainless Steel
Size : 290x35x4.5mm



NT5064

Material: Stainless Steel
Size : 280x35x5mm



ND1519-2

Material: Stainless Steel
Size : 35x25x5mm



ND1519-6

Material: Stainless Steel
Size : 35x25x5mm



ND1543

Material: Stainless Steel
Size : 35x25x4.5mm



ND1305B

Material: Stainless Steel
Size : 35x25x4.5mm



ND1305B-7

Material: Stainless Steel
Size : 35x25x4.5mm



ND1443

Material: Stainless Steel
Size : 35x25x4.5mm



ND1323


Material: Stainless Steel
Size : 35x25x5mm

Standard Size of Warning Tactile :





35x4.5mm/35x5mm/25x5mm/25x4mm/23x5mm/22x5mm or the other size.

Standard Size of directional tactile:

280x35x4.5mm/290x35x4.5mm/320x35x5mm/370x35x5mm/380x35x5mm/420x35x5mm/
230x35x5mm/140x25x5mm/400x25x5mm/280x27x5mm/290x27x5mm or the other size.




INDICATOR STUDS & STRIPS






INDICATOR STUDS & STRIPS








INDICATOR STUDS & STRIPS




RUBBER GASKETS







NXT - 283




NXT - 284




NXT - 285




NXT - 286




NXT - 287




NXT - 288




NXT - 289




NXT - 290




NXT - 291




NXT - 292




NXT - 293




NXT - 294




NXT - 295




NXT - 296




NXT - 297




NXT - 298




NXT - 299




NXT - 300




NXT - 301




NXT - 302




NXT - 303




NXT - 304




NXT - 305




NXT - 306




NXT - 307




NXT - 308




NXT - 309




NXT - 310




NXT - 311




NXT - 312




NXT - 313




NXT - 314




NXT - 315




NXT - 316




NXT - 317




NXT - 318




NXT - 319




NXT - 320




NXT - 321




NXT - 322




NXT - 323




NXT - 324




NXT - 325




NXT - 326




NXT - 327




NXT - 328




NXT - 329




NXT - 330




NXT - 331




NXT - 332




NXT - 333




NXT - 334




NXT - 335




NXT - 336




NXT - 337




NXT - 338




NXT - 339




NXT - 340




NXT - 341




NXT - 342




NXT - 343




NXT - 344




NXT - 345




NXT - 346




NXT - 347




NXT - 348




NXT - 349




NXT - 350




NXT - 351



NXT - 352




NXT - 353




NXT - 354




NXT - 355




NXT - 356




NXT - 357




NXT - 358




NXT - 359




NXT - 360




NXT - 361




NXT - 362




NXT - 363




NXT - 364




NXT - 365




NXT - 366




NXT - 367




NXT - 368




NXT - 369




NXT - 370




NXT - 371




NXT - 372




NXT - 373




NXT - 374




NXT - 375




NXT - 376




NXT - 377




NXT - 378



NXT - 379



NXT - 380



NXT - 381



NXT - 382




NXT - 383




NXT - 384




NXT - 385




NXT - 386




NXT - 387




NXT - 388




NXT - 389




NXT - 390




NXT - 391




NXT - 392




NXT - 393




NXT - 394




NXTH - 113




NXTH - 166




NXTH - 177




NXTH - 135




NXTH - 18




NXTH - 53




NXTH - 373




NXTH - 60




NXTH - 102




NXTH - 127




NXTH - 64




NXTH - 391




NXTH - 71




NXTH - 112




NXTH - 108




NXTH - 35




NXTH - 54




NXTH - 129




NXTH - 14




NXTH - 78




NXTH - 144




NXTH - 88




NXTH - 32




NXTH - 33




NXTH - 75




NXTH - 126




NXTH - 14




NXTH - 103




NXTH - 114




NXTH - 74




NXTH - 152




NXTH - 387




NXTH - 154




NXTH - 393




NXTH - 109




NXTH - 65




NXTH - 172



NXTH - 11



NXTH - 89



NXTH - 143

Materials and Finishes Standards

Aluminum

Aluminum **6063 T6**

Stainless Steel

Austenitic Stainless Steels SS 304 & SS 316, as per:

ASTM A 240 / EN 2-10088/ DIN 17400 / BS 1449:2 / ASTM A480 / ASTM A666 / ISO 3506 / EN 7-10028 / JIS G 4304

Stainless Steel Fasteners EN 3506

Stainless Steel Wire BS 1554 ,ASTM A276

Finishes

Hot-DIP Galvanization after Fabrication

as per:

ASTM A 123 / ASTM A 153 / ISO 1461.

BS 729 / DIN 50976

Zinc Electroplating after Fabrication


as per:

ASTM B633 / EN 12329 / ISO 4042/ BS 1706 / BS 3382 / DIN 50961

Powder Coating

Epoxy / Polyester / Epoxy & Polyester

BS 3900 / ISO 2409 / ISO 1519 / ISO 1520



Sales Offices / Entities

KINGDOM OF SAUDI ARABIA

unitech.ksa@ikkgroup.com

Jeddah
Tel : +966 12 627 8222

Mak kah/Taif
Tel : +966 12 541 1206

Mad inah
Tel : +966 14 842 1095

Yanbu
Tel : +966 14 390 1499

Khamis Mushayt
Tel : +966 17 237 5929

Gizan
Tel : +966 17 321 6660

Riyadh
Tel : +966 11 292 8200

Qassim / Buraidah
Tel : +966 16 382 3946

Skakah / Qurayyat
Tel : +966 14 626 3904

Tabuk
Tel : +966 14 423 5203

Dammam
Tel : +966 13 859 0097

Hufuf
Tel : +966 13 530 1474

Jubail
Tel : +966 13 361 4390

UNITED ARAB EMIRATES

Dubai - Al Rashidiyah
unitech.dubai@ikkgroup.com
Tel : +971 4 2591 773

Abu Dhabi - Musaffah
unitech.auh@ikkgroup.com
Tel : +971 2 552 3393

BAHRAIN

Manama
unitech.bahrain@ikkgroup.com
Tel : +973 17 874 897

KUWAIT

Kuwait City
unitech.kuwait@ikkgroup.com
Tel : +965 2 4924 937

JORDAN

Amman
unitech.jordan@ikkgroup.com
Tel : +962 6 556 3030

Aqaba
unitech.jordan@ikkgroup.com
Tel : +962 6 556 3030

OMAN

Muscat
unitech.oman@ikkgroup.com
Tel : +968 24 591 006

LEBANON

Beirut
unitech.lebanon@ikkgroup.com
Tel : +961 1 858 277

EGYPT
Cairo 6th of October City
unitech.egypt@ikkgroup.com
Tel : +20 2 3820 6477

PAKISTAN

Lahore
unitech.pakistan@ikkgroup.com
Tel : +92 42 32301578

SFSP Factories

SFSP - KSA
Specialized Factory for Steel Products
sfsp.jeddah@ikkgroup.com

3rd Industrial City / Jeddah
Tel : +966 12 637 4482

SFSP / UAE
SIGMA Factory for Steel Products
sfsp.uae@ikkgroup.com

DIC (Dubai Industrial City)
Tel : +971 4 818 1919

SFSP / EGYPT
Specialized Factory for Steel Products
sfsp.cairo@ikkgroup.com

6th of October City Giza
Tel : +20 2 3820 6477

SFSP / LEBANON
Specialized Factory for Steel Products / s.a.r.l
sfsp.lebanon@ikkgroup.com

Tanayel, Bekaa
Tel : +961 8 514 290

Engineering & Design

GERMANY
unitech.germany@ikkgroup.com

Unitech Deutschland GmbH
Stuttgart, Germany
Tel : +49 711 6868 7222

Marketing & Multimedia

Multi-D s.a.r.l
multi-d@ikkgroup.com

Multi-D
Beirut, Lebanon
Tel : +961 1 841 155

UNITECH Locations



DIGITAL Information

Websites

www.ikkgroup.com
www.unitech-ikk.com
www.nexus-ikk.com
www.sfsp-ikk.com

Social Media Pages

 www.linkedin.com/company/unitech-ikk
 www.facebook.com/unitikk

